



DN1000.625.G.3BL


The chamber cover type (self-leveling or stationary) and load class must be selected according to the needs of the project. See www.evopipes.com for possible chamber cover solutions in the Products section - Chamber covers, grates and support rings.

DRAWING No.:	VERSION	REVISION	REVISION STATUS
DN800.630.G.3BL.1B.ST	EN	1	ACTUAL



OUT0° / IN180°

DN160, 200, 250, 315, 400 mm




DN160 mm on request

OUT0° / IN120° / IN180° / IN240°

DN200, 250, 315 mm

RIGHT LEFT




OUT0° / IN90° / IN180°


DN160, 200, 250, 315 mm

OUT0° / IN180° / IN270°

DN160, 200, 250, 315 mm




on request



OUT0° / IN90° / IN270°


DN200, 250, 315 mm

RIGHT LEFT




OUT0° / IN(R)°

DN160, 200, 250, 315, 400 mm




OUT0° / IN(L)°

DN160, 200, 250, 315, 400 mm



OUT0° / IN90° / IN180° / IN270°

DN200, 250, 315 mm



This drawing is the property of SIA Evopipes and is protected by law.



FILE NAME:
DN800.630.G.3BL.1B.ST

SHEET: 1 OF 3



SHEET FORMAT: @ A4

SCALE:
WITHOUT SCALE


STAGE:
STANDARD DRAWING

DN1000.625.G.1B

The chamber cover type (self-leveling or stationary) and load class must be selected according to the needs of the project. See www.evopipes.com for possible chamber cover solutions in the Products section - Chamber covers, grates and support rings.




OUT0° / IN180°
DN160, 200, 250, 315, 400 mm



DN160 mm on request


OUT0° / IN90° / IN180° / IN270°
DN200, 250, 315 mm




DN160 mm on request

OUT0° / IN120° / IN180° / IN240°
DN200, 250, 315 mm


RIGHT LEFT



OUT0° / IN90° / IN180°
DN160, 200, 250, 315 mm




OUT0° / IN180° / IN270°
DN160, 200, 250, 315 mm




OUT0° / IN90° / IN270°
DN200, 250, 315 mm


RIGHT LEFT



OUT0° / IN(R)°
DN160, 200, 250, 315, 400 mm



OUT0° / IN(L)°
DN160, 200, 250, 315, 400 mm



This drawing is the property of SIA Evopipes and is protected by law.



SIA "EVOPIPES"
Langervaldes str. 2a, Jelgava, LV-3002, Latvia
Company reg. No.: 50003728871
Phone: +371 63094300
E-mail: info@evopipes.lv
Website: www.evopipes.lv

FILE NAME:
DN800.630.G.3BL.1B.ST

SHEET: 2 OF 3


SHEET FORMAT: @ A4

SCALE:
WITHOUT SCALE


STAGE:
STANDARD DRAWING

DN1000.625.G.ST

The chamber cover type (self-leveling or stationary) and load class must be selected according to the needs of the project. See www.evopipes.com for possible chamber cover solutions in the Products section - Chamber covers, grates and support rings.




B-B



OUT0° / IN180°

DN/OD 110, 160, 200, 250, 315, 400 mm


DN/ID 300, 400, 500, 600, 800 mm



OUT0° / IN180°

DN/OD 110, 160, 200, 250, 315, 400 mm


DN/ID 300, 400, 500, 600, 800 mm



OUT0° / IN180°

DN/OD 110, 160, 200, 250, 315, 400 mm

DN/ID 300, 400, 500, 600, 800 mm



OUT0° / IN180°

DN/OD 110, 160, 200, 250, 315, 400 mm

DN/ID 300, 400, 500, 600, 800 mm

This drawing is the property of SIA Evopipes and is protected by law.



SIA "EVOPIPES"
Langervaldes str. 2a, Jelgava, LV-3002, Latvia
Company reg. No.: 50003728871
Phone: +371 63094300
E-mail: info@evopipes.lv
Website: www.evopipes.lv

FILE NAME:
DN800.630.G.3BL.1B.ST

SHEET: 3 OF 3

SHEET FORMAT: @ A4

SCALE:
WITHOUT SCALE

STAGE:
STANDARD DRAWING